



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **JeFo Aluminium Reiniger**  
Product code(s) 90554

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cleaning agent  
industrial uses  
professional uses  
Uses advised against Do not use for squirting or spraying in its concentrated form. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

JeFo Ship Supply  
Roomweg 6B  
8334 NR Tuk  
Netherlands  
Tel: +31(0)6 83 70 12 19  
E-mail: info@JeFoshipsupply.nl  
Web: www.JeFoshipsupply.nl

#### 1.4 Emergency telephone number

Emergency information service for emergency responders  
This number is only for medical emergencies.

Poison centre		
Country	Name	e-Mail
United Kingdom	National Poisons Information Service (NPIS)	director.birmingham.unit@npis.org

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

Labelling

- Signal word danger

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### - Pictograms

GHS05



### - Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

### - Precautionary statements

P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P390 Absorb spillage to prevent material damage.  
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Hydrogen chloride, Ammoniumbifluoride

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .





## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrogen chloride	CAS No 7647-01-0  EC No 231-595-7  Index No 017-002-01-X	5 - < 10	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335	 	IOELV
Ammoniumbifluoride	CAS No 1341-49-7  EC No 215-676-4  Index No 009-009-00-4	1 - < 5	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318	 	GHS-HC


# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Isotridecanol, ethoxylated (>=2.5 EO)	CAS No 69011-36-5  EC No 931-138-8	< 1	Acute Tox. 4 / H302 Eye Dam. 1 / H318		

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrogen chloride	Met. Corr. 1; H290: C ≥ 5 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-	-	
Ammoniumbifluoride	Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0.1 % ≤ C < 1 % Eye Dam. 1; H318: C ≥ 1 % Eye Irrit. 2; H319: 0.1 % ≤ C < 1 %	-	130 mg/kg	oral
Isotridecanol, ethoxylated (>=2.5 EO)	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-	555.6 mg/kg	oral

### Remarks

For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rub with a gel containing calcium gluconate.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures  
Do not mix with alkali.
- Keep away from  
Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions  
Store in corrosive resistant container with a resistant inner liner.

Control of effects

Protect from sunlight.

Protect against external exposure, such as frost

- Packaging compatibilities  
Keep only in original container. Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

Cleaning agent. Industrial uses. Professional uses.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Source
EU	hydrogen chloride	7647-01-0		IOEL V	5	8	10	15			2000/39/EC
GB	hydrogen chloride	7647-01-0	ga	WEL	1	2	5	8			EH40/2005

##### Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- ga as gases and aerosols
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrogen chloride	7647-01-0	DNEL	8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Hydrogen chloride	7647-01-0	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Ammoniumbifluoride	1341-49-7	DNEL	2.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ammoniumbifluoride	1341-49-7	DNEL	3.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Ammoniumbifluoride	1341-49-7	PNEC	1.3 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ammoniumbifluoride	1341-49-7	PNEC	76 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ammoniumbifluoride	1341-49-7	PNEC	22 mg/kg	terrestrial organisms	soil	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.074 mg/l	aquatic organisms	freshwater	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.007 mg/l	aquatic organisms	marine water	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.015 mg/l	aquatic organisms	water	intermittent release
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	1.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.604 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.06 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.1 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### General protective and hygiene measures

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions.

If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### Eye/face protection

Wear eye/face protection. Wear face protection.

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Type of material

NBR: acrylonitrile-butadiene rubber

#### - Material thickness

> 0.35 mm

#### - Breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### - Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - red
Odour	disagreeable
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not determined
pH (value)	1 (20 °C) (acid)
Kinematic viscosity	not determined

### Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	2.339 kPa at 20 °C (calculated value, referring to a component of the mixture)
-----------------	--

### Density and/or relative density

Density	1.04 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

### Other safety characteristics

Miscibility	Completely miscible with water.
VOC content	0.3808 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

May be corrosive to metals.

### 10.5 Incompatible materials

Bases, Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Ammoniumbifluoride	1341-49-7	oral	130 mg/kg
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	555.6 mg/kg

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ammoniumbifluoride	1341-49-7	oral	LD50	130 mg/kg	rat
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	LD50	>2,000 mg/kg	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammoniumbifluoride	1341-49-7	LC50	421.4 mg/l	fish	96 h

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DOC removal	82 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	232.5		

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

It is a dangerous waste; only packages which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

### 14.2 UN proper shipping name

ADR/RID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

Technical name (hazardous ingredients)	Hydrogen chloride, Ammoniumbifluoride
<b>14.3 Transport hazard class(es)</b>	
ADR/RID	8
IMDG-Code	8
ICAO-TI	8
<b>14.4 Packing group</b>	
ADR/RID	II
IMDG-Code	II
ICAO-TI	II
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	
The cargo is not intended to be carried in bulk.	

### Information for each of the UN Model Regulations

#### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

Classification code	C1
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X

#### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information**

Classification code	C1
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

Transport category (TC) 2  
Hazard identification No 80

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -  
Danger label(s) 8



Special provisions (SP) 274  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 1 L  
EmS F-A, S-B  
Stowage category B  
Segregation group 1 - Acids

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP) A3  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 0,5 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

Not listed. None of the ingredients are listed.

#### Deco-Paint Directive

VOC content	0.0218 %
-------------	----------

#### Industrial Emissions Directive (IED)

VOC content	0.3808 %
-------------	----------

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### Water Framework Directive (WFD)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### National regulations (GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
JeFo Aluminium Reiniger	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

### National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

#### Legend

REACH Reg. REACH registered substances

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## JeFo Aluminium Reiniger

Version number: GHS 1.0

Date of compilation: 2024-08-20

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.