

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Date of compilation: 2023-10-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Version number: GHS 1.0

Trade name	JeFo Superreiniger Extra
Product code(s)	71098

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Uses advised against

industrial uses professional uses

Do not use for squirting or spraying in its concentrated form. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

JeFo Ship Supply Roomweg 6B 8334 NR Tuk Netherlands Tel: +31(0)6 83 70 12 19 E-mail: info@JeFoshipsupply.nl Web: www.JeFoshipsupply.nl

1.4 Emergency telephone number

Emergency information service

for emergency responders This number is only for medical emergencies.

Poison centre		
Country	Name	e-Mail
United Kingdom	National Poisons Information Service (NPIS)	director.birmingham.unit@npis.org

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

- Signal word danger

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0 Date of compilation: 2023-10-25 - Pictograms GHS05 - Hazard statements H314 Causes severe skin burns and eye damage. - Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. P280 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301+P330+P331 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or P303+P361+P353 shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container to hazardous or special waste collection point. - Hazardous ingredients for labelling tetrasodium ethylenediaminetetraacetate, Alcohols, C12-14, ethoxylated, Sodium hydroxide, Iso-

tridecanol, ethoxylated

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8 EC No 200-573-9 Index No 607-428-00-2	5 - < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373		GHS-HC
Alcohols, C12-14, eth- oxylated	CAS No 68439-50-9	1 - < 5	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
Sodium p-cumenes- ulphonate	CAS No 15763-76-5 EC No 239-854-6	1-<5	Eye Irrit. 2 / H319	(!)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium hydroxide	CAS No 1310-73-2 EC No	1 - < 5	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318	A A A A A A A A A A A A A A A A A A A	GHS-HC
	215-185-5				
	Index No 011-002-00-6				
Isotridecanol, eth- oxylated	CAS No 69011-36-5	<1	Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
	EC No 931-138-8				
Nitrilotriacetic acid	CAS No 139-13-9	<1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351	(!)	
	EC No 205-355-7				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
tetrasodium ethylenediam- inetetraacetate	-	-	>1,780 ^{mg} / _{kg} 1.5 ^{mg} / _/ /4h	oral inhalation: dust/mist
Alcohols, C12-14, eth- oxylated	-	-	500 ^{mg} / _{kg}	oral
Sodium hydroxide	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	-	-	
Isotridecanol, ethoxylated	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-	-	
Nitrilotriacetic acid	-	-	500 ^{mg} / _{kg}	oral

For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

- **4.2** Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.
- **4.3** Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2) Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product. This will result in an uncontrolled acid base reaction. When dilution is required, always add the product cautiously to water following all relevant safety measures to ensure a safe and controlled acid base reaction.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

Protect against external exposure, such as

frost

- Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

Industrial uses. Professional uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

00	Occupational exposure limit values (Workplace Exposure Limits)											
Co tr		Name of agent	CAS No	Nota tion	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Sourc e
G	iВ	sodium hydrox- ide	1310-73- 2		WEL				2			EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

1

Notation STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

TWA time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	3 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	3 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects		
Alcohols, C12-14, ethoxylated	68439-50-9	DNEL	294 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Alcohols, C12-14, ethoxylated	68439-50-9	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Sodium p-cumenes- ulphonate	15763-76-5	DNEL	26.9 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Sodium p-cumenes- ulphonate	15763-76-5	DNEL	136.3 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	2.83 ^{mg} /1	aquatic organ- isms	freshwater	short-term (single instance)		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	0.283 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	50 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	1.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	0.074 ^{mg} /լ	aquatic organ- isms	freshwater	short-term (single instance)		
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	0.007 ^{mg} /լ	aquatic organ- isms	marine water	short-term (single instance)		

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Γ

Date of compilation: 2023-10-25

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	10 9/ _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	66.67 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	6.66 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	1 ^{mg} kg	terrestrial organ- isms	soil	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0.23 ^{mg} / ₁	aquatic organ- isms	freshwater	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0.023 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0.862 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0.086 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0.037 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)

8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Wear face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness
- > 0.35 mm
- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barri-er creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>100 °C
Auto-ignition temperature	not determined
Decomposition temperature	not determined
pH (value)	13.5 (in aqueous solution: 100 ^{mg} / _{cm³} , 20 °C) _(base)
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

	Partition coefficient n-octanol/water (log value)	this information is not available	
--	---	-----------------------------------	--

Vapour pressure	2.339 kPa at 20 °C (calculated value, referring to a com-	
	ponent of the mixture)	

Density and/or relative density

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Density	1.055 ^g / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
Other information	
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
VOC content	0.9308 %

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Acids, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	>1,780 ^{mg} / _{kg}
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} ∤/4h
Alcohols, C12-14, ethoxylated	68439-50-9	oral	500 ^{mg} / _{kg}
Nitrilotriacetic acid	139-13-9	oral	500 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
tetrasodium ethylenediaminetet- raacetate	64-02-8	oral	LD50	>1,780 - <2,00 0 ^{mg} / _{kg}	rat
Alcohols, C12-14, ethoxylated	68439-50-9	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Sodium p-cumenesulphonate	15763-76-5	oral	LD50	>7,000 ^{mg} / _{kg}	rat
Sodium p-cumenesulphonate	15763-76-5	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acu	ite) of componer	nts of the mixtur	e		
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	LC50	>100 ^{mg} /j	fish	96 h
tetrasodium ethylene- diaminetetraacetate	64-02-8	EC50	>114 ^{mg} / _l	aquatic invertebrates	48 h
tetrasodium ethylene- diaminetetraacetate	64-02-8	ErC50	>60 ^{mg} /l	algae	72 h
Alcohols, C12-14, eth- oxylated	68439-50-9	LC50	1.2 ^{mg} / _l	fish	96 h
Alcohols, C12-14, eth- oxylated	68439-50-9	EC50	0.53 ^{mg} / _l	aquatic invertebrates	48 h
Sodium p-cumenes- ulphonate	15763-76-5	LC50	>1,000 ^{mg} / _l	fish	96 h
Sodium p-cumenes- ulphonate	15763-76-5	EC50	>1,000 ^{mg} / _l	aquatic invertebrates	48 h
Sodium hydroxide	1310-73-2	LC50	<180 ^{mg} /j	fish	96 h
Sodium hydroxide	1310-73-2	EC50	40.4 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of componen	nts of the mixture
--	--------------------

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	EC50	625 ^{mg} / _l	aquatic invertebrates	24 h
Alcohols, C12-14, eth- oxylated	68439-50-9	EC50	>10 ^g / _l	microorganisms	16.9 h
Sodium hydroxide	1310-73-2	EC50	22 ^{mg} / _l	microorganisms	15 min

12.2 Persistence and degradability

Degradability of components of the mixture

	•					
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
tetrasodium ethylenediam- inetetraacetate	64-02-8	oxygen deple- tion	78 %	56 d		ECHA
Alcohols, C12- 14, ethoxylated	68439-50-9	oxygen deple- tion	95 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
tetrasodium ethylenediaminetet- raacetate	64-02-8	1.8	-13.17 (25 °C)	
Alcohols, C12-14, ethoxylated	68439-50-9	12.7		
Sodium p-cumenesulphonate	15763-76-5		-1.1 (23 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-sub-stance in a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-self.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Deco-Paint Directive

VOC content 1.531 %

Industrial Emissions Directive (IED)

VOC content

0.9308 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Sodium hydroxide		a)	
tetrasodium ethylenediaminetetraacetate		a)	
Nitrilotriacetic acid		a)	

Legend

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
	Name of substance	Name acc. to inventory	CAS No	Νο
	JeFo Superreiniger Extra	this product meets the criteria for cla tion in accordance with Regulation No 1272/ 2008/EC		3

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

REACH Reg. REACH registered substances TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation:	2023-10-25
----------------------	------------

Abbr.	Descriptions of used abbreviations	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
log KOW	n-Octanol/water	
Met. Corr.	Substance or mixture corrosive to metals	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
SCBA	Self-contained breathing apparatus	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
STOT RE	Specific target organ toxicity - repeated exposure	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

acc. to Regulation (EC) No. 1907/2006 (REACH)

JeFo Superreiniger Extra

Version number: GHS 1.0

Date of compilation: 2023-10-25

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.