

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 24-2-2017 Revision date: 24-6-2024 Supersedes version of: 13-7-2022 Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Roest Kalk Cement Verwijderaar VD

UFI : F2UN-XNQ1-E30E-T6W2

Product code : 272375
Type of product : Detergent
Product group : Cleaning product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : Wide dispersive use

Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption

mentioned in section 1.1, that the product will be used in the manner and for the purposes

indicated by the manufacturer.

#### 1.3. Details of the supplier of the safety data sheet

#### Distributor

JeFo Ship Supply Roomweg 6-B NL 8334 NR Tuk Nederland

T +31(0)683701219

info@jefoshipsupply.nl, www.jefoshipsupply.nl

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger.

Contains : phosphoric acid; formic acid Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Immediately call a doctor.

 $P305+P351+P338+P310 - IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.$  Remove contact lenses, if present and easy to do. Continue\ rinsing. Immediately\ call\ a

doctor.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P390 - Absorb spillage to prevent material damage. EUH210 - Safety data sheet available on request.

EUH-statements

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

formic acid (64-18-6)

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phosphoric acid substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924- 24	15 – 25	Skin Corr. 1B, H314
formic acid substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	1 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1A, H314

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ammonium bifluoride; ammonium hydrogen difluoride	CAS-No.: 1341-49-7 EC-No.: 215-676-4 EC Index-No.: 009-009-00-4 REACH-no: 01-2119489180- 38	0,1 – 1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314
benzaldehyde substance with a Community workplace exposure limit	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0,01 – 0,1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:	rific concentration limits:		
Name	Product identifier	Specific concentration limits (%)	
phosphoric acid	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924- 24	(10 ≤ C < 25) Skin Irrit. 2; H315 (10 ≤ C < 25) Eye Irrit. 2; H319 (25 ≤ C < 100) Skin Corr. 1B; H314	
formic acid	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	(2 ≤ C < 10) Skin Irrit. 2; H315 (2 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 90) Skin Corr. 1B; H314 (90 ≤ C ≤ 100) Skin Corr. 1A; H314	
ammonium bifluoride; ammonium hydrogen difluoride	CAS-No.: 1341-49-7 EC-No.: 215-676-4 EC Index-No.: 009-009-00-4 REACH-no: 01-2119489180- 38	(0,1 ≤ C < 1) Skin Irrit. 2; H315 (0,1 ≤ C < 1) Eye Irrit. 2; H319 (1 ≤ C ≤ 100) Skin Corr. 1B; H314	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours, gas, mist,

fume, spray, dust.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended

personal protective equipment. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe vapours, gas, mist, fume, spray, dust. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original

container. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals. Storage temperature : 10 - 30 °C

24-6-2024 (Printing date) EN (English) 4/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Information on mixed storage : Keep in a cool place away from (strong) bases.

: Store in a clean, dry, fire resistant area. Ensure that there is a suitable ventilation system. Storage area Special rules on packaging

Store in a closed container.

Packaging materials Do not store in corrodable metal. Store always product in container of same material as

original container.

## 7.3. Specific end use(s)

Carefully comply with the instructions for use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

National occupational exposure and biological limit values

phosphoric acid (7664-38-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name Orthophosphoric acid			
IOEL TWA	1 mg/m³		
IOEL STEL	2 mg/m³		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	Orthophosphoric acid [Phosphoric acid]		
OEL TWA	1 mg/m³		
OEL STEL	2 mg/m³		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2024		
United Kingdom - Occupational Exposure Limits			
Local name	Orthophosphoric acid		
WEL TWA (OEL TWA)	1 mg/m³		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
formic acid (64-18-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Formic acid		
IOEL TWA	9 mg/m³		
	5 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Ireland - Occupational Exposure Limits			
Local name	Formic acid		
OEL TWA	9 mg/m³		
5 ppm			
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference Chemical Agents Code of Practice 2024			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

formic acid (64-18-6)			
United Kingdom - Occupational Exposure Limits			
Local name Formic acid			
WEL TWA (OEL TWA)	9,6 mg/m³		
	5 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
benzaldehyde (100-52-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA         8,7 mg/m³           IOEL STEL         17,4 mg/m³			

## **DNEL and PNEC**

DNEL and PNEC		
phosphoric acid (7664-38-2)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	2,92 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	0,73 mg/m³	
formic acid (64-18-6)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	19 mg/m³	
Long-term - local effects, inhalation	9,5 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	9,5 mg/m³	
Acute - local effects, inhalation	9,5 mg/m³	
Long-term - systemic effects, inhalation	3 mg/m³	
Long-term - local effects, inhalation	3 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	2 mg/l	
PNEC aqua (marine water)	0,2 mg/l	
PNEC aqua (intermittent, freshwater)	1 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	13,4 mg/kg dwt	
PNEC sediment (marine water)	1,34 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1,5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	7,2 mg/l	
ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	3,8 mg/m³	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)		
Long-term - systemic effects, inhalation	2,3 mg/m³	
DNEL/DMEL (General population)  Acute - systemic effects, oral 0,015 ng/kg bodyweight/day		
Long-term - systemic effects, inhalation	0,045 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater) 1,3 mg/l		
PNEC (Soil)		
PNEC soil	22 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant 76 mg/l		

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

#### Personal protection equipment

## Personal protective equipment symbol(s):









#### Eye and face protection

#### Eye protection:

Wear security glasses which protect from splashes (EN ISO16321 CH)

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Protection for Liquid particles, Droplet	With side shields	EN ISO 16321 CH

#### Skin protection

## Skin and body protection:

Long sleeved protective clothing (EN 14605). Wear impervious rubber safety shoes (EN ISO 20345 S7)

Skin and body protection		
Туре	Standard	
Tyvek® Gown/Coveralls		
Safety shoes		

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Viton® II	6 (> 480 minutes)	0,4	2 (< 1.5)	EN ISO 374

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Respiratory protection**

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Respiratory protection			
Device	Filter type	Condition	Standard
Full face respirator	ABEK, Type P2	Vapour protection	EN 136

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Dispose of contents/container in accordance with licensed collector's sorting instructions. Carefully comply with the instructions for use. Avoid release to the environment.

#### Consumer exposure controls:

Keep locked up and out of the reach of children. Use personal protective equipment as required.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : slight. perfumed. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available : Not applicable Flammability Lower explosion limit : Not available Upper explosion limit : Not available : > 100 °C Flash point Auto-ignition temperature : Not available : Not available Decomposition temperature

рΗ pH solution concentration : 100 % Viscosity, kinematic : < 15.873 mm<sup>2</sup>/s Viscosity, dynamic : < 20 mPa·s Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : 1,26 g/cm<sup>3</sup> Density Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

No additional information available

24-6-2024 (Printing date) EN (English) 8/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

No additional information available

## 10.5. Incompatible materials

metals.

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

SECTION 11: Toxicological info	rmation
11.1. Information on hazard classes	s as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>
phosphoric acid (7664-38-2)	
LD50 oral	1530 mg/kg bodyweight
LD50 dermal	2740 mg/kg bodyweight
formic acid (64-18-6)	
LD50 oral rat	730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 618 - 863
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	7,85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
benzaldehyde (100-52-7)	
LD50 oral rat	≈ 1430 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1,33 - 1,54
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	1 – 5 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
ammonium bifluoride; ammonium	hydrogen difluoride (1341-49-7)
LD50 oral rat	130 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Skin corrosion/irritation	: Causes severe skin burns. pH: 1
formic acid (64-18-6)	
рН	1
benzaldehyde (100-52-7)	
рН	5,9
Serious eye damage/irritation	: Causes serious eye irritation. pH: 1
formic acid (64-18-6)	
рН	1

24-6-2024 (Printing date) EN (English) 9/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzaldehyde (100-52-7)   pH	
Respiratory or skin sensitisation  Respiratory or skin sensitisation  Respiratory or skin sensitisation  Respiratory or skin sensitisation  Reproductive toxicity  Reproductive toxicity  ROAEL (animal/male, F0/P)  STOT-single exposure  May cause respiratory irritation.  STOT-repeated exposure  May cause respiratory irritation.  STOT-repeated exposure  Road (7664-38-2)  NOAEL (oral, rat, 90 days)  ROAEL (oral, rat, 90 days)  NOAEL (oral, rat, 90 days)  NOAEL (oral, rat, 90 days)  Road (Sased on available data, the classification criteria are not met)  In tot classified (Based on available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  And may be dyweight Animal: rat, Guideline: OECD Guideline 453 (Combine formic acid (64-18-6)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria are not met)  Road available data, the classification criteria available data, the classification criteria available data, the	
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  formic acid (64-18-6)  NOAEL (chronic, oral, animal/male, 2 years)    400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Gi (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: of type: toxicity (migrated information)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  formic acid (64-18-6)  NOAEL (animal/male, F0/P)   676 mg/kg  NOAEL (animal/male, F1)   676 mg/kg  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure   May cause respiratory irritation.  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)   250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combine Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening formic acid (64-18-6)  LOAEL (oral, rat, 90 days)   2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)   400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala	
NOAEL (chronic, oral, animal/male, 2 years)  400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Gi (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: of type: toxicity (migrated information)  Reproductive toxicity  : Not classified (Based on available data, the classification criteria are not met)  formic acid (64-18-6)  NOAEL (animal/male, F0/P)  NOAEL (animal/male, F1)  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure    May cause respiratory irritation.  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)    Stom mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combine Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)    Stom mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)    NOAEL (oral, rat, 90 days)    A00 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)    NOAEL (oral, rat, 90 days)    O,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala)	t)
(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: of type: toxicity (migrated information)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  formic acid (64-18-6)  NOAEL (animal/male, F0/P)	
formic acid (64-18-6)  NOAEL (animal/male, F0/P)  NOAEL (animal/male, F1)  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure    May cause respiratory irritation.  STOT-repeated exposure    May cause respiratory irritation.  STOT-repeated exposure    Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)    250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combine Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)    2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)    400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)    0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala	
NOAEL (animal/male, F0/P)  676 mg/kg  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure  May cause respiratory irritation.  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)  250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combine Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala	t)
NOAEL (animal/male, F1)  676 mg/kg  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure  May cause respiratory irritation.  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)  250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combine Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala	
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  benzaldehyde (100-52-7)  STOT-single exposure   May cause respiratory irritation.  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)   250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening formic acid (64-18-6)  LOAEL (oral, rat, 90 days)   2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)   400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	
benzaldehyde (100-52-7)  STOT-single exposure	
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)	t)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)	
phosphoric acid (7664-38-2)  NOAEL (oral, rat, 90 days)  250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	
NOAEL (oral, rat, 90 days)  250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	t)
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening  formic acid (64-18-6)  LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	
LOAEL (oral, rat, 90 days)  2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combine Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	
Toxicity / Carcinogenicity Studies)  NOAEL (oral, rat, 90 days)  400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation)	
Toxicity / Carcinogenicity Studies)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhala	bined Chronic
	ined Chronic
	alation Toxicity:
benzaldehyde (100-52-7)	
LOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: other:rat and mouse	
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	t)
Roest Kalk Cement Verwijderaar VD	
Viscosity, kinematic < 15,873 mm²/s	

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term	Before neutralisation, the product may represent a danger to aquatic organisms.  Not classified (Based on available data, the classification criteria are not met)  Not classified (Based on available data, the classification criteria are not met)
(chronic) phosphoric acid (7664-38-2)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna

24-6-2024 (Printing date) EN (English) 10/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

phosphoric acid (7664-38-2)		
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 100 mg/l	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
formic acid (64-18-6)		
LC50 - Fish [1]	130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	365 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [2]	26,9 mg/l	
EC50 72h - Algae [1]	1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	1,07 mg/l	
EC50 - Other aquatic organisms [1]	23,7 mg/l waterflea	
NOEC chronic fish	0,12 mg/l Test organisms (species): Pimephales promelas Duration: '7 d'	
ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)		
LC50 - Fish [1]	421,4 mg/l Test organisms (species): no data	
EC50 - Crustacea [1]	26 mg/l	
EC50 96h - Algae [1]	43 mg/l	
NOEC chronic fish	1,2 mg/l Test organisms (species): Oncorhynchus gorbuscha Duration: '61 d'	
NOEC chronic crustacea	8,9 mg/l	

## 12.2. Persistence and degradability

Roest Kalk Cement Verwijderaar VD		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
phosphoric acid (7664-38-2)		
Persistence and degradability	Rapidly degradable	
formic acid (64-18-6)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)		
Persistence and degradability	Rapidly degradable	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

phosphoric acid (7664-38-2)	
Partition coefficient n-octanol/water (Log Pow) -0,77	
formic acid (64-18-6)	
Partition coefficient n-octanol/water (Log Pow) -2,1	
benzaldehyde (100-52-7)	
Partition coefficient n-octanol/water (Log Pow) 1,48	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible,

eliminate in accordance with local valid waste disposal regulations.

Ecological waste information

European List of Waste (LoW, EC 2000/532)

HP Code

: Avoid release to the environment.

: 20 01 29\* - detergents containing dangerous substances

: HP8 - "Corrosive:" waste which on application can cause skin corrosion.

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3264	UN 3264	UN 3264	UN 3264	UN 3264
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; formic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid ; formic acid)	Corrosive liquid, acidic, inorganic, n.o.s. (phosphoric acid; formic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid ; formic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid ; formic acid)
Transport document descr	iption			
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; formic acid), 8, III, (E)	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; formic acid), 8, III	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (phosphoric acid; formic acid), 8, III	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; formic acid), 8, III	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; formic acid), 8, III

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard	class(es)			
8	8	8	8	8
8	8	8	8	B
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available		1	I

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C1
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 3264

Tunnel restriction code (ADR) : E EAC code : 2X APP code : B

#### Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

#### Inland waterway transport

Classification code (ADN) : C1
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C1
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains substance(s) listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items: Ammonium hydrogen fluoride or ammonium bifluoride (1341-49-7)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Detergent Regulation (648/2004)**

#### Allergenic fragrances > 0.01 %:

Benzaldehyde

Labelling of contents	
Component %	
phosphates	15-30%
perfumes	
Benzaldehyde	

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes		
Section	Changed item	Comments
	Supersedes	Modified
	Revision date	Modified
1.1	UFI on SDS 1.1	Added
1.2	Use of the substance/mixture	Removed
1.2	Function or use category	Removed
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.2	Precautionary statements (CLP)	Modified
8.2	Eye protection	Modified
8.2	Skin and body protection	Modified
8.2	Appropriate engineering controls	Modified
9	Concentration of the solution used for the pH measurement	Added

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC-No.	European Community number	
EN	European Standard	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disruptor	

Data sources

Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH210	Safety data sheet available on request.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Met. Corr. 1	H290	Expert judgement	
Skin Corr. 1B	H314	Calculation method	
Eye Irrit. 2	H319	Calculation method	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

24-6-2024 (Printing date) EN (English) 17/17