

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 24-2-2017 Revision date: 24-6-2024 Supersedes version of: 15-7-2022 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

 Product name
 : Shampoo met extra wax

 UFI
 : UTA0-RJU6-W602-2GYD

 Product code
 : 272378, 272488, 272377

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : Wide dispersive use

Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption

mentioned in section 1.1, that the product will be used in the manner and for the purposes

indicated by the manufacturer.

Use of the substance/mixture : Shampoo (cars, trucks, busses, rail vehicles)

Cleaner for boats (includes ship cleaners)

1.3. Details of the supplier of the safety data sheet

Distributor

JeFo Ship Supply Roomweg 6-B NL 8334 NR Tuk Nederland

T +31(0)683701219

info@jefoshipsupply.nl, www.jefoshipsupply.nl

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger.

Contains : Sodium laurylether (2 EO) sulphate Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear eye protection, protective gloves.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor.

EUH-statements : EUH208 - Contains 2-methylisothiazol-3(2H)-one, Eucalyptol. May produce an allergic

reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium laurylether (2 EO) sulphate	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	10 – 15	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	CAS-No.: 68155-07-7 EC-No.: 931-329-6 REACH-no: 01-2119490100- 53	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
LAURETH-10	CAS-No.: 9002-92-0 EC-No.: 500-002-6	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Lauryl alcohol, ethoxylated (11 EO), carboxylate, sodium salt	CAS-No.: 33939-64-9 EC-No.: 608-922-0 REACH-no: Polymer	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
N,N-Didecyl-N,N-dimethylammonium carbonate	CAS-No.: 894406-76-9 EC Index-No.: 451-900-9 REACH-no: 01-0000019102- 83	0,1 – 1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	0,1 – 1	Flam. Liq. 3, H226 Skin Sens. 1, H317
1,2,3-Propanetriol(glycerin) substance with national workplace exposure limit(s) (GB)	CAS-No.: 56-81-5 EC-No.: 200-289-5 REACH-no: 01-2119471987- 18	0,1 – 1	Not classified
Laureth-4	CAS-No.: 68439-50-9 EC-No.: 500-213-3 REACH-no: Polymer	0,1 – 1	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
propan-2-ol substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	0,1 – 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
methanol substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	0,01 – 0,1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	< 0,01	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 EUH071

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Sodium laurylether (2 EO) sulphate	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 100) Eye Dam. 1; H318	
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C ≤ 100) STOT SE 1; H370	
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0,0015 ≤ C ≤ 100) Skin Sens. 1A; H317	

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

24-6-2024 (Printing date) EN (English) 4/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 10 - 30 °C

Storage area : Store in a clean, dry, fire resistant area. Ensure that there is a suitable ventilation system.

Special rules on packaging : Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Carefully comply with the instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

1,2,3-Propanetriol(glycerin) (56-81-5)				
United Kingdom - Occupational Exposure Limits				
Local name	Glycerol			
WEL TWA (OEL TWA)	10 mg/m³ mist			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
propan-2-ol (67-63-0)				
Ireland - Occupational Exposure Limits				
Local name	Isopropyl alcohol [Propan-2-ol]			
OEL TWA	200 ppm			
OEL STEL	400 ppm			
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)			
Regulatory reference	Chemical Agents Code of Practice 2024			
Ireland - Biological limit values				
Local name	2-Propanol			
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)			
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)			
United Kingdom - Occupational Exposure Limits				
Local name	Propan-2-ol			
WEL TWA (OEL TWA)	999 mg/m³			
	400 ppm			
WEL STEL (OEL STEL)	1250 mg/m³			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol (67-63-0)	
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IO	EL)
Local name	Methanol
IOEL TWA	260 mg/m³
	200 ppm
Remark	skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
Local name	Methanol [Methyl alcohol]
OEL TWA	260 mg/m³
	200 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024
Ireland - Biological limit values	
Local name	Methanol
BMGV	15 mg/l Parameter: methanol - Medium: urine - Sampling time: End of shift - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
United Kingdom - Occupational Exposure Limits	
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m³
	200 ppm
WEL STEL (OEL STEL)	333 mg/m³
	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

DNEL and PNEC

Sodium laurylether (2 EO) sulphate (68891-38-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation 175 mg/m³		
DNEL/DMEL (General population)		
Long-term - systemic effects,oral 15 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation 52 mg/m³		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium laurylether (2 EO) sulphate (68891-38-3)		
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,24 mg/l	
PNEC aqua (marine water)	0,024 mg/l	
PNEC aqua (intermittent, freshwater)	0,071 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0,9168 mg/kg dwt	
PNEC sediment (marine water)	0,09168 mg/kg dwt	
PNEC (Soil)		
PNEC soil	7,5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	10 g/l	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Wear security glasses which protect from splashes (EN ISO16321 CH)

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Protection for Liquid particles, Droplet	With side shields	EN ISO 16321 CH

Skin protection

Skin and body protection:

Long sleeved protective clothing (EN 14605)

Skin and body protection	
Туре	Standard
Tyvek® Gown/Coveralls	EN 14605

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

Environmental exposure controls

Environmental exposure controls:

Carefully comply with the instructions for use. Avoid release to the environment. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Blue. Green. Colour Appearance : Clear. : perfumed. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 100 °C Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available : 9,5 pH solution concentration : 100 %

: 2941.176 mm²/s Viscosity, kinematic : 3000 mPa·s Viscosity, dynamic Solubility : completely soluble. Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : 1,02 g/cm³ Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

No additional information available

Respiratory or skin sensitisation

Germ cell mutagenicity

Reproductive toxicity

Carcinogenicity

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

: Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

: Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)

: Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Sodium laurylether (2 EO) sulphate (68	891-38-3)
LD50 oral	4100 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Amides, C8-18 (even numbered) and C	18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Lauryl alcohol, ethoxylated (11 EO), ca	rboxylate, sodium salt (33939-64-9)
LD50 oral	> 2000 mg/kg bodyweight
N,N-Didecyl-N,N-dimethylammonium c	arbonate (894406-76-9)
LD50 oral rat	245 mg/kg (OECD 401 method)
1,2,3-Propanetriol(glycerin) (56-81-5)	
LD50 oral	25000 mg/kg bodyweight
LD50 dermal	> 18700 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	50100 mg/l
propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 10000 mg/l/4h OECD403
methanol (67-56-1)	
LD50 oral	5628 mg/kg bodyweight
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	85000 mg/l
Eucalyptol (470-82-6)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Skin corrosion/irritation	: Causes skin irritation. pH: 9,5
Serious eye damage/irritation	: Causes serious eye damage.

24-6-2024 (Printing date) EN (English) 9/18

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

pH: 9,5

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure :	Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)
Sodium laurylether (2 EO) sulphate (68891-38	3-3)
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
N,N-Didecyl-N,N-dimethylammonium carbonate (894406-76-9)	
NOAEL (oral, rat, 90 days)	61 mg/kg bodyweight/day (OECD 408 method)
Eucalyptol (470-82-6)	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:japanese Ministry of Economy Trade and Industry Guideline for 28 day repeat oral dose toxicity study., Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Nonrodents)
Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)
Shampoo met extra wax	
Viscosity, kinematic	2941,176 mm²/s
propan-2-ol (67-63-0)	
Viscosity, kinematic	3,177 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long–term : Harmful to aquatic life with long lasting effects.

(chronic)

(Citionic)		
Sodium laurylether (2 EO) sulphate (68891-38-3)		
LC50 - Fish [1]	7,1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	7,2 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	0,27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0,14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
LC50 - Fish [1]	2,4 mg/l	
EC50 - Other aquatic organisms [1]	3,2 mg/l waterflea	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7) EC50 - Other aquatic organisms [2] 18,6 mg/l Lauryl alcohol, ethoxylated (11 EO), carboxylate, sodium salt (33939-64-9) LC50 - Fish [1] 5,7 mg/l EC50 - Other aquatic organisms [1] 8,1 mg/l waterflea NN-Didecyl-N,N-dimethylammonium carbonate (894406-76-9) LC50 - Fish [1] 0,28 mg/l Lepomis macrochirus (Bluegill) LC50 - Fish [2] 0,81 mg/l Oncorhynchus mykiss (Rainbow trout) EC50 72h - Algae [1] 0,022 mg/l EC50 96h - Algae [1] 0,012 mg/l NNEC chronic algae 0,018 mg/l daphnia 1,2,3-Propanetriol(glycerin) (56-81-5) LC50 - Fish [1] 54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Other aquatic organisms [1] > 10000 mg/l waterflea Laureth-4 (68439-50-9) LC50 - Fish [1] < 1 mg/l Propan-2-ol (67-63-0) LC50 - Fish [1] 9640 mg/l EC50 - Other aquatic organisms [2] > 1000 mg/l methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [2] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 10000 mg/l EC50 - Other aquatic organisms [2] 10000 mg/l waterflea			
Lauryl alcohol, ethoxylated (11 EO), carboxylate, sodium salt (33939-64-9) LC50 - Fish [1]	Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
LC50 - Fish [1] S,7 mg/l	EC50 - Other aquatic organisms [2] 18,6 mg/l		
S. 1 mg/l waterflea	Lauryl alcohol, ethoxylated (11 EO), carboxylate, sodium salt (33939-64-9)		
N,N-Didecyl-N,N-dimethylammonium carbonate (894406-76-9) LC50 - Fish [1]	LC50 - Fish [1]	5,7 mg/l	
C50 - Fish [1] 0.28 mg/l Lepomis macrochirus (Bluegill)	EC50 - Other aquatic organisms [1]	8,1 mg/l waterflea	
CC50 - Fish [2]	N,N-Didecyl-N,N-dimethylammonium carbonat	te (894406-76-9)	
CC50 72h - Algae [1] 0,022 mg/l	LC50 - Fish [1]	0,28 mg/l Lepomis macrochirus (Bluegill)	
EC50 96h - Algae [1] 0,012 mg/l NOEC chronic algae 0,018 mg/l daphnia 1,2,3-Propanetriol(glycerin) (56-81-5) LC50 - Fish [1] 54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Other aquatic organisms [1] > 10000 mg/l waterflea Laureth-4 (68439-50-9) LC50 - Fish [1] < 1 mg/l EC50 - Crustacea [1] < 1 mg/l propan-2-ol (67-63-0) LC50 - Fish [1] 9640 mg/l EC50 - Other aquatic organisms [1] 13299 mg/l waterflea EC50 - Other aquatic organisms [2] > 1000 mg/l methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [2] 12000 mg/l EC50 - Other aquatic organisms [2] 12000 mg/l EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	LC50 - Fish [2]	0,81 mg/l Oncorhynchus mykiss (Rainbow trout)	
NOEC chronic algae 0,018 mg/l daphnia 1,2,3-Propanetriol(glycerin) (56-81-5)	EC50 72h - Algae [1]	0,022 mg/l	
1,2,3-Propanetriol(glycerin) (56-81-5)	EC50 96h - Algae [1]	0,012 mg/l	
LC50 - Fish [1] 54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Other aquatic organisms [1] > 10000 mg/l waterflea Laureth-4 (68439-50-9) LC50 - Fish [1] LC50 - Fish [1] < 1 mg/l	NOEC chronic algae	0,018 mg/l daphnia	
gairdneri) EC50 - Other aquatic organisms [1] > 10000 mg/l waterflea Laureth-4 (68439-50-9) LC50 - Fish [1] <1 mg/l EC50 - Crustacea [1] <1 mg/l propan-2-ol (67-63-0) LC50 - Fish [1] 9640 mg/l EC50 - Other aquatic organisms [1] 13299 mg/l waterflea EC50 - Other aquatic organisms [2] > 1000 mg/l methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l EC50 - Other aquatic organisms [2] 12000 mg/l EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	1,2,3-Propanetriol(glycerin) (56-81-5)		
Laureth-4 (68439-50-9) LC50 - Fish [1] < 1 mg/l	LC50 - Fish [1]	• • • • • • • • • • • • • • • • • • • •	
LC50 - Fish [1] <1 mg/l	EC50 - Other aquatic organisms [1]	> 10000 mg/l waterflea	
C50 - Crustacea [1] < 1 mg/l	Laureth-4 (68439-50-9)		
December 2 December 3 Dec	LC50 - Fish [1]	< 1 mg/l	
LC50 - Fish [1] 9640 mg/l EC50 - Other aquatic organisms [1] 13299 mg/l waterflea EC50 - Other aquatic organisms [2] > 1000 mg/l methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	EC50 - Crustacea [1]	< 1 mg/l	
EC50 - Other aquatic organisms [1] 13299 mg/l waterflea EC50 - Other aquatic organisms [2] > 1000 mg/l methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	propan-2-ol (67-63-0)		
EC50 - Other aquatic organisms [2] > 1000 mg/l	LC50 - Fish [1]	9640 mg/l	
methanol (67-56-1) LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	EC50 - Other aquatic organisms [1]	13299 mg/l waterflea	
LC50 - Fish [1] 10800 mg/l EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	EC50 - Other aquatic organisms [2]	> 1000 mg/l	
EC50 - Other aquatic organisms [1] 10000 mg/l waterflea EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	methanol (67-56-1)		
EC50 - Other aquatic organisms [2] 12000 mg/l Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	LC50 - Fish [1]	10800 mg/l	
Eucalyptol (470-82-6) LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	EC50 - Other aquatic organisms [1]	10000 mg/l waterflea	
LC50 - Fish [1] 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo	EC50 - Other aquatic organisms [2]	12000 mg/l	
	Eucalyptol (470-82-6)		
gandien	LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1] > 100 mg/l Test organisms (species): Daphnia magna	EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1] > 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 72h - Algae [1]		
EC50 96h - Algae [1] > 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	EC50 96h - Algae [1]		

12.2. Persistence and degradability

Shampoo met extra wax	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium laurylether (2 EO) sulphate (68891-38-3)		
Persistence and degradability	Rapidly degradable	
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
Persistence and degradability	Not rapidly degradable	
LAURETH-10 (9002-92-0)		
Persistence and degradability	Not rapidly degradable	
Lauryl alcohol, ethoxylated (11 EO), carboxyla	ate, sodium salt (33939-64-9)	
Persistence and degradability	Rapidly degradable	
N,N-Didecyl-N,N-dimethylammonium carbona	te (894406-76-9)	
Persistence and degradability	Rapidly degradable	
Biodegradation	96 % (OECD 301B method)	
1,2,3-Propanetriol(glycerin) (56-81-5)		
Persistence and degradability	Rapidly degradable	
Laureth-4 (68439-50-9)		
Persistence and degradability	Rapidly degradable	
Biodegradation	> 60 % OECD 301 F	
propan-2-ol (67-63-0)		
Persistence and degradability	Rapidly degradable	
BOD (% of ThOD)	53 % ThOD	
Biodegradation	95 % OECD 301E	
methanol (67-56-1)		
Persistence and degradability	Rapidly degradable	
2-methylisothiazol-3(2H)-one (2682-20-4)		
Persistence and degradability	Rapidly degradable	
Eucalyptol (470-82-6)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
Sodium laurylether (2 EO) sulphate (68891-38	-3)	
Partition coefficient n-octanol/water (Log Pow)	0,3	
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
Partition coefficient n-octanol/water (Log Pow)	3,1	
1,2,3-Propanetriol(glycerin) (56-81-5)		
Partition coefficient n-octanol/water (Log Pow)	-1,76	
propan-2-ol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0,05 OECD 107	
methanol (67-56-1)		
Partition coefficient n-octanol/water (Log Pow)	-0,7	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

propan-2-ol (67-63-0)	
Surface tension	22,7 mN/m

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Disposal must be done according to official regulations.

: Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.

Ecological waste information

European List of Waste (LoW, EC 2000/532)

HP Code

: Avoid release to the environment.

: 20 01 29* - detergents containing dangerous substances

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

Limonene

Pinene

Labelling of contents		
Component %		
anionic surfactants	5-15%	
non-ionic surfactants, cationic surfactants <5%		
Methylisothiazolinone		
Benzisothiazolinone		
perfumes		
Eucalyptus Globulus Oil		
Limonene		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Labelling of contents	
Component	%
Pinene	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Supersedes	Modified
	Revision date	Modified
1.1	UFI on SDS 1.1	Added
1.2	Use of the substance/mixture	Modified
1.2	Function or use category	Removed
3	Composition/information on ingredients	Modified
8.2	Eye protection	Modified
8.2	Skin and body protection	Modified
8.2	Respiratory protection	Modified
9	Colour	Modified
9	Concentration of the solution used for the pH measurement	Added

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC-No.	European Community number	
EN	European Standard	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disruptor	

Data sources

Other information

- : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- : None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
EUH071	Corrosive to the respiratory tract.			
EUH208	Contains 2-methylisothiazol-3(2H)-one, Eucalyptol. May produce an allergic reaction.			
EUH210	Safety data sheet available on request.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 2	Flammable liquids, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H225	Highly flammable liquid and vapour.			
H226	Flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H311	Toxic in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H331	Toxic if inhaled.			
H336	May cause drowsiness or dizziness.			
H370	Causes damage to organs.			
H371	May cause damage to organs.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1A	Skin sensitisation, category 1A			
STOT SE 1	Specific target organ toxicity – single exposure, Category 1			
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.