

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7-2-2017 Revision date: 12-7-2022 Supersedes version of: 29-6-2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 2 in 1

UFI : 9FFT-6NCY-W30V-HA1T

Product code : 274045, 274046
Type of product : Detergent
Product group : Cleaning product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Wide dispersive use

Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption

mentioned in section 1.1, that the product will be used in the manner and for the purposes

indicated by the manufacturer.

Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners,

carpet cleaners, metal cleaners, air fresheners)

Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

JeFo Ship Supply De Dissel, 12 NL– 8332 JH Steenwijk Nederland T +31(0)683701219

info@jefoshipsupply.nl - www.jefoshipsupply.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning.

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements : EUH208 - Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isotridecanol, ethoxylated (8 EO)	CAS-No.: 9043-30-5 EC-No.: 500-027-2 REACH-no: 02-2119552461- 55	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium laurylether (2 EO) sulphate	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	1 – 5	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Sulphonic acids, C14-17-sec-alkane, sodium salts	CAS-No.: 97489-15-1 REACH-no: 01-2119489924- 20	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
DIPHENYL ETHER substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	< 0,1	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Acetic acid substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328- 30	< 0,01	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	< 0,01	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Sodium laurylether (2 EO) sulphate	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318
Sulphonic acids, C14-17-sec-alkane, sodium salts	CAS-No.: 97489-15-1 REACH-no: 01-2119489924- 20	(10 <c 15)="" 2,="" eye="" h319<br="" irrit.="" ≤="">(10 <c 100)="" 2,="" <="" h315<br="" irrit.="" skin="">(15 <c 1,="" 100)="" <="" dam.="" eye="" h318<br="">(60 <c (oral),="" 100)="" 4="" <="" acute="" h302<="" td="" tox.=""></c></c></c></c>
Acetic acid	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Eye irritation.
Symptoms/effects after eye contact : Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 10 - 30 °C

Storage area : Store in a clean, dry, fire resistant area. Ensure that there is a suitable ventilation system.

Special rules on packaging : Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Carefully comply with the instructions for use.

12-7-2022 (Printing date) EN (English) 4/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biological limit values			
DIPHENYL ETHER (101-84-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Diphenyl ether		
IOEL TWA [ppm]	1 ppm		
IOEL STEL	14 mg/m³		
IOEL STEL [ppm]	2 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		
Ireland - Occupational Exposure Limits			
Local name	Diphenyl ether (vapour)		
OEL TWA [1]	7 mg/m³		
OEL TWA [2]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
United Kingdom - Occupational Exposure Limits			
Local name Diphenyl ether			
WEL TWA (OEL TWA) [1] 7 mg/m³			
WEL TWA (OEL TWA) [2] 1 ppm			
WEL STEL (OEL STEL) 14 mg/m³			
WEL STEL (OEL STEL) [ppm] 2 ppm			
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE			
Acetic acid (64-19-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Acetic acid		
IOEL TWA	25 mg/m³		
IOEL TWA [ppm]	10 ppm		
IOEL STEL	50 mg/m³		
IOEL STEL [ppm]	20 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		
Ireland - Occupational Exposure Limits			
Local name	Acetic acid		
OEL TWA [1] 25 mg/m³			
OEL TWA [2]	10 ppm		
OEL STEL 50 mg/m³			
OEL STEL [ppm]	20 ppm		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetic acid (64-19-7)		
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference Chemical Agents Code of Practice 2021		
United Kingdom - Occupational Exposure Limits		
Local name	Acetic acid	
WEL TWA (OEL TWA) [1]	25 mg/m³	
WEL TWA (OEL TWA) [2] 10 ppm		
WEL STEL (OEL STEL) 50 mg/m³		
WEL STEL (OEL STEL) [ppm] 20 ppm		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

8.1.4. DNEL and PNEC			
Sodium laurylether (2 EO) sulphate (68891-38-3)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	175 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	15 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	52 mg/m³		
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0,24 mg/l		
PNEC aqua (marine water)	0,024 mg/l		
PNEC aqua (intermittent, freshwater)	0,071 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0,9168 mg/kg dwt		
PNEC sediment (marine water)	0,09168 mg/kg dwt		
PNEC (Soil)			
PNEC soil	7,5 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	10 g/l		
Trisodium Citrate Dihydrate (68-04-2)			
PNEC (Water)			
PNEC aqua (freshwater)	0,44 mg/l		
PNEC aqua (marine water)	0,044 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	34,6 mg/kg dwt		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Trisodium Citrate Dihydrate (68-04-2)			
PNEC sediment (marine water)	3,46 mg/kg dwt		
PNEC (Soil)			
PNEC soil	33,1 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	1000 mg/l		
DL-Alanine-N,N-diacetic acid trisodium salt (1	64462-16-2)		
DNEL/DMEL (Workers)			
Acute - systemic effects, dermal	2000 mg/kg bodyweight/day		
Acute - systemic effects, inhalation	40 mg/m³		
Acute - local effects, dermal	2000 mg/cm ²		
Acute - local effects, inhalation	40 mg/m³		
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	40 mg/m³		
Long-term - local effects, inhalation	4 mg/m³		
DNEL/DMEL (General population)			
Acute - systemic effects, dermal	400 mg/kg bodyweight/day		
Acute - systemic effects, inhalation	20 mg/m ³		
Acute - systemic effects, oral	85 mg/kg bodyweight/day		
Acute - local effects, dermal	400 mg/cm ²		
Acute - local effects, inhalation	20 mg/m ³		
Long-term - systemic effects,oral	17 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	20 mg/m ³		
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day		
Long-term - local effects, inhalation	2 mg/m³		
PNEC (Soil)			
PNEC soil	2,5 mg/kg dwt		
Sulphonic acids, C14-17-sec-alkane, sodium s	salts (97489-15-1)		
PNEC (Water)			
PNEC aqua (freshwater)	0,04 mg/l		
PNEC aqua (marine water)	0,004 mg/l		
PNEC aqua (intermittent, freshwater)	0,06 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0,94 mg/kg dwt		
PNEC (Soil)			
PNEC soil	9,47 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	600 mg/l		

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Characteristics	Standard	
Safety glasses	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Dispose of contents/container in accordance with licensed collector's sorting instructions. Carefully comply with the instructions for use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red. Appearance : Clear. Odour : perfumed. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : 100 °C Boiling point Flammability : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : > 100 °C
Auto-ignition temperature : Not available
Decomposition temperature : Not available

pH : 7

: 780,488 mm²/s Viscosity, kinematic Viscosity, dynamic 800 mPa.s : completely soluble. Solubility : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : Not available Vapour pressure at 50 °C Not available Density : 1,025 g/cm³ Relative density : Not available Relative vapour density at 20 °C : Not available

: Not applicable

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium laurylether (2 EO) sulphate (68891-38-3)		
LD50 oral	4100 mg/kg bodyweight	

LD50 dermal	> 2000 mg/kg bodyweight

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) : > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) : 1000 mg/kg bodyweight Animal: rat, Animal sex: male	Isotridecanol, ethoxylated (8 EO) (9043-30-5)		
Sulphonic acids, C14-17-sec-alkane, sodium salts (97489-15-1) LD50 oral > 500 mg/kg bodyweight LD50 dermal > 2000 mg/kg bodyweight Acetic acid (64-19-7) LD50 oral rat 3310 mg/kg bodyweight LD50 dermal 1060 mg/kg bodyweight Skin corrosion/irritation Not classified pH: 7 Serious eye damage/irritation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified StoTo-single exposure Not classified StoTo-single exposure Not classified StoTo-single exposure Not classified Sodium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard Not classified Not classified Not classified 1000 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard Not classified Not classified 1000 mg/kg bodyweight Animal: rat, Animal sex: male 1000 mg/kg bodyweight 1000 mg/kg bodyweight Animal: rat, Animal sex: male 1000 mg/kg bodyweight 1000 mg/kg bodyweight Animal: rat, Animal sex: male 1000 mg/kg bodyweight	LD50 oral	> 500 mg/kg bodyweight	
LD50 oral	LD50 dermal	> 2000 mg/kg bodyweight	
LD50 dermal > 2000 mg/kg bodyweight Acetic acid (64-19-7) LD50 oral rat 3310 mg/kg bodyweight LD50 dermal 1060 mg/kg bodyweight LD50 dermal 1060 mg/kg bodyweight Skin corrosion/irritation Not classified pH: 7 Serious eye damage/irritation Not classified pH: 7 Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Reproductive toxicity Not classified Stort-single exposure Not classified STOT-single exposure Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat, Animal sex: male Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s	Sulphonic acids, C14-17-sec-alkane, sodium s	salts (97489-15-1)	
Acetic acid (64-19-7) LD50 oral rat LD50 dermal 1060 mg/kg bodyweight Skin corrosion/irritation S	LD50 oral	> 500 mg/kg bodyweight	
LD50 oral rat LD50 oral rat LD50 otarnal 3310 mg/kg bodyweight 1060 mg/kg bodyweight Skin corrosion/irritation : Not classified pH: 7 Serious eye damage/irritation : Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Sort cause serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Sort cause serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. pH: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious eye irritation. ph: 7 Not classified Sort cause serious e	LD50 dermal	> 2000 mg/kg bodyweight	
LD50 dermal 1060 mg/kg bodyweight Skin corrosion/irritation Serious eye damage/irritation Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation Germ cell mutagenicity Not classified Carcinogenicity Not classified Serious eye damage/irritation PH: 7 Respiratory or skin sensitisation Germ cell mutagenicity Not classified Carcinogenicity Not classified Solium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) POPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat, Animal sex: male Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard 1080,488 mm²/s Acetic acid (64-19-7) Viscosity, kinematic 780,488 mm²/s	Acetic acid (64-19-7)		
Skin corrosion/irritation : Not classified pH: 7 Serious eye damage/irritation : Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat, Animal sex: male Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s	LD50 oral rat	3310 mg/kg bodyweight	
pH: 7 Serious eye damage/irritation : Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	LD50 dermal	1060 mg/kg bodyweight	
Serious eye damage/irritation : Causes serious eye irritation. pH: 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Skin corrosion/irritation :		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Serious eye damage/irritation :	Causes serious eye irritation.	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified SOdium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Respiratory or skin sensitisation :	•	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Sodium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Germ cell mutagenicity :	Not classified	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Sodium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Carcinogenicity :	Not classified	
STOT-repeated exposure : Not classified Sodium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Reproductive toxicity :	Not classified	
Sodium laurylether (2 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	STOT-single exposure :	Not classified	
NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	STOT-repeated exposure :	Not classified	
Day Oral Toxicity in Rodents) DIPHENYL ETHER (101-84-8) NOAEL (dermal, rat/rabbit, 90 days) Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) Aspiration hazard In the control of the	Sodium laurylether (2 EO) sulphate (68891-38	-3)	
NOAEL (dermal, rat/rabbit, 90 days) Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) Aspiration hazard In the second of the	NOAEL (oral, rat, 90 days)		
Acetic acid (64-19-7) NOAEL (oral, rat, 90 days) Aspiration hazard: Not classified 2 in 1 Viscosity, kinematic: 780,488 mm²/s Acetic acid (64-19-7)	DIPHENYL ETHER (101-84-8)		
NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight	
Aspiration hazard : Not classified 2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Acetic acid (64-19-7)		
2 in 1 Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male	
Viscosity, kinematic 780,488 mm²/s Acetic acid (64-19-7)	Aspiration hazard :	Not classified	
Acetic acid (64-19-7)	2 in 1		
	Viscosity, kinematic	780,488 mm²/s	
Viscosity, kinematic 0,996 mm²/s	Acetic acid (64-19-7)		
	Viscosity, kinematic	0,996 mm²/s	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium laurylether (2 EO) sulphate (68891-38-3)		
LC50 - Fish [1]	7,1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	7,2 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	0,27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0,14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	
DIPHENYL ETHER (101-84-8)		
LC50 - Fish [1]	4,2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1,96 mg/l Test organisms (species): Daphnia magna	
Sulphonic acids, C14-17-sec-alkane, sodium s	salts (97489-15-1)	
LC50 - Fish [1]	> 1 mg/l	
EC50 - Other aquatic organisms [1]	9,81 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 61 mg/l	
EC50 72h - Algae [1]	> 61 mg/l OECD 201	
NOEC chronic fish	0,85 mg/l OECD 204	
NOEC chronic crustacea	0,36 mg/l OECD 202	
NOEC chronic algae	600 mg/l DIN 38412 T.8	
Acetic acid (64-19-7)		
LC50 - Fish [2]	> 300,82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	> 300,82 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum	
EC50 72h - Algae [2]	> 300,82 mg/l Test organisms (species): Skeletonema costatum	

12.2. Persistence and degradability

2 in 1		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradabilic criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Sulphonic acids, C14-17-sec-alkane, sodium s	salts (97489-15-1)	
Chemical oxygen demand (COD) 2,065 mg/g		
Biodegradation	96,2 % OESO 303A	

12.3. Bioaccumulative potential

Sodium laurylether (2 EO) sulphate (68891-38-3)	
Partition coefficient n-octanol/water (Log Pow)	0,3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetic acid (64-19-7)	
Partition coefficient n-octanol/water (Log Pow)	-0,2

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Disposal must be done according to official regulations.

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible,

eliminate in accordance with local valid waste disposal regulations.

Ecology - waste materials

: Avoid release to the environment.

European List of Waste (LoW) code

: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Detergent Regulation (648/2004)

Allergenic fragrances > 0,01%:

Benzyl Salicylate

Hexyl Cinnamal

Labelling of contents		
Component	%	
anionic surfactants, non-ionic surfactants	<5%	
Benzisothiazolinone		
Methylisothiazolinone		
perfumes		
BENZYL SALICYLATE		
HEXYL CINNAMAL		

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of cl	Indication of changes			
Section	Changed item	Change	Comments	
	Flammability (solid, gas)	Added		
	Supersedes	Modified		
	Revision date	Modified		
1.1	Product code	Modified		
2.2	EUH-statements	Modified		
2.2	Precautionary statements (CLP)	Modified		
3	Composition/information on ingredients	Modified		
6.3	Methods for cleaning up	Added		
7.2	Storage area	Modified		
9.1	Melting point	Added		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

Other information

- : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- : None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH208	Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Irrit. 2	H319	Calculation method

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.