

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12-12-2016 Revision date: 12-7-2022 Supersedes version of: 29-6-2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Boensop

UFI : 0YSN-CNQV-E30Y-7SA7

Product code : 272362, 272366
Type of product : Detergent
Product group : Cleaning product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : Wide dispersive use

Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption

mentioned in section 1.1, that the product will be used in the manner and for the purposes

indicated by the manufacturer.

Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners,

carpet cleaners, metal cleaners, air fresheners)

Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

JeFo Ship Supply De Dissel, 12 NL– 8332 JH Steenwijk Nederland T +31(0)683701219

info@jefoshipsupply.nl - www.jefoshipsupply.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning.

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear eye protection, protective clothing, protective gloves. P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butoxyethanol substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	1 – 5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
C9-11 PARETH-6	CAS-No.: 68439-46-3 EC-No.: 931-514-1	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Tetrapotassiumpyrophosphate	CAS-No.: 7320-34-5 EC-No.: 230-785-7 REACH-no: 01-2119489369- 18	1 – 5	Eye Irrit. 2, H319
Potassium hydroxide substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	0,1 – 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Citral substance with national workplace exposure limit(s) (IE)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	< 0,01	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	(0,5 ≤C < 2) Eye Irrit. 2, H319 (0,5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

12-7-2022 (Printing date) EN (English) 3/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 10 - 30 °C

Storage area : Store in a clean, dry, fire resistant area. Ensure that there is a suitable ventilation system.

Special rules on packaging : Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Carefully comply with the instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-Butoxyethanol (111-76-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethanol	
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	246 mg/m³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL TWA [1]	98 mg/m³	
OEL TWA [2]	20 ppm	
OEL STEL	246 mg/m³	
OEL STEL [ppm]	50 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Butoxyethanol (111-76-2)		
Ireland - Biological limit values		
Local name	2-Butoxyethanol	
BLV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL TWA (OEL TWA) [2]	25 ppm	
WEL STEL (OEL STEL)	246 mg/m³	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Potassium hydroxide (1310-58-3)		
Ireland - Occupational Exposure Limits		
Local name	Potassium hydroxide	
OEL STEL	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Potassium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Citral (5392-40-5)		
Ireland - Occupational Exposure Limits		
Local name	Citral	
OEL TWA [2]	5 ppm IFV (Inhlable Fraction and Vapour)	
Regulatory reference	Chemical Agents Code of Practice 2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

DL-Jamine-N,N-cliacetic acid trisodium salt (16462-16-2) DNEL/DMEL (Workers) Acute - systemic effects, demal 2000 mg/kg bodyweight/day Acute - systemic effects, inhalation 40 mg/m² Acute - local effects, inhalation 40 mg/m² Acute - local effects, inhalation 40 mg/m² Long-term - systemic effects, dermal 170 mg/kg bodyweight/day Long-term - systemic effects, inhalation 40 mg/m² DNEL/DMEL (General population) Acute - local effects, inhalation 20 mg/m² Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, dermal 400 mg/m² Acute - systemic effects, inhalation 20 mg/m² Acute - systemic effects, oral 85 mg/kg bodyweight/day Acute - systemic effects, oral 400 mg/m² Acute - systemic effects, oral 400 mg/m² Acute - local effects, inhalation 20 mg/m² Long-term - systemic effects, oral 20 mg/m² Long-term - systemic effects, oral 20 mg/m² Long-term - systemic effects, inhalation 20 mg/m² Long-term - systemic effects, inhalation 20 mg/m² PNEC Scil 25 mg/kg bodyweight/day Cong-term - systemic effects, inhalation 2 mg/m² PNEC Scil 25 mg/kg bodyweight/day Cong-term - systemic effects, inhalation 2 mg/m² PNEC Scil 25 mg/kg bodyweight/day Cong-term - systemic effects, inhalation 2 mg/m² PNEC Scil 25 mg/kg bodyweight/day Cong-term - systemic effects, inhalation 20 mg/m² Cong-term - systemic effects, inhalation 24 mg/m² DNEL/DMEL (Workers) DNEL/DMEL (General population) Long-term - systemic effects, inhalation 24 mg/m² PNEC aqua (freahwater) 25 mg/kg bodyweight/day Cong-term - systemic effects, inhalation 87 mg/m² PNEC aqua (freahwater) 0,10379 mg/l PNEC aqua (freahwater) 0,10379 mg/l PNEC aqua (memiwater) 1,37 mg/kg dwt PNEC scili (memimicnt, freahwater) 1,37 mg/kg dwt PNEC scili (memimicnt, freahwater) 1,37 mg/kg dwt PNEC Scili 1 mg/kg dwt	8.1.4. DNEL and PNEC		
Acute - systemic effects, dermal Acute - systemic effects, inhalation Acute - local effects, inhalation Acute - systemic effects, inhalation Acute - local effects, inhalation Acute - systemic effects, inhalation Acute - local effects, inhalation Acute - systemic effects, inhalation Acute - local effects, inhalation Acute - systemic effects, inhalatio	DL-Alanine-N,N-diacetic acid trisodium salt (1	64462-16-2)	
Acute - systemic effects, inhalation 40 mg/m² Acute - local effects, dermal 2000 mg/cm² Acute - local effects, inhalation 40 mg/m³ Long-term - systemic effects, inhalation 40 mg/m³ Long-term - systemic effects, inhalation 40 mg/m³ Long-term - local effects, inhalation 40 mg/m³ Long-term - local effects, inhalation 40 mg/m³ Neutrosystemic effects, dermal 400 mg/m² Acute - systemic effects, dermal 400 mg/m² Acute - systemic effects, inhalation 20 mg/m² Acute - systemic effects, dermal 400 mg/m² Acute - systemic effects, dermal 400 mg/m² Acute - local effects, dermal 400 mg/m² Acute - local effects, inhalation 20 mg/m² Acute - local effects, inhalation 20 mg/m² Long-term - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 20 mg/m³ PNEC (Soil) PNEC Soil 2.5 mg/kg dwt Co-1 PARETH-6 (88439-46-3) DNEL/DMEL (Workers) DNEL/DMEL (General population) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, dermal 250 mg/kg bodyweight/day Long-term - systemic effects, dermal 250 mg/kg bodyweight/day DNEL/DMEL (General population) Long-term - systemic effects, dermal 250 mg/kg bodyweight/day PNEC (Soil) PNEC Qual (freshwater) 0.10379 mg/l PNEC Aqua (freshwater) 0.10379 mg/l PNEC Aqua (freshwater) 1.3.7 mg/kg dwt PNEC Sediment (freshwater) 1.3.7 mg/kg dwt	DNEL/DMEL (Workers)		
Acute - local effects, dermal 2000 mg/cm² Acute - local effects, inhalation 40 mg/m³ Long-term - systemic effects, inhalation 40 mg/m³ Long-term - systemic effects, inhalation 40 mg/m³ Long-term - systemic effects, inhalation 40 mg/m³ Long-term - local effects, inhalation 40 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, oral 85 mg/kg bodyweight/day Acute - local effects, dermal 400 mg/cm² Acute - local effects, dermal 400 mg/cm² Acute - local effects, inhalation 20 mg/m³ Long-term - systemic effects, oral 17 mg/kg bodyweight/day Long-term - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC (Soil) C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 234 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 24 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 27 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 87 mg/m³ PNEC (Saula (freshwater) 0,10379 mg/l PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (freshwater) 1,17,7 mg/kg dwt PNEC Sediment (freshwater) 13,7 mg/kg dwt	Acute - systemic effects, dermal	2000 mg/kg bodyweight/day	
Acute - local effects, inhalation 40 mg/m³ Long-term - systemic effects, dermal 170 mg/kg bodyweight/day Long-term - systemic effects, inhalation 4 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, dermal 400 mg/cm² Acute - systemic effects, dermal 400 mg/cm² Acute - systemic effects, dermal 400 mg/cm² Acute - local effects, inhalation 20 mg/m³ Acute - local effects, inhalation 20 mg/m³ Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC Soil 2.5 mg/kg dwt 2	Acute - systemic effects, inhalation	40 mg/m³	
Long-term - systemic effects, inhalation 40 mg/m³ Long-term - local effects, inhalation 40 mg/m³ DNELDMEL (General population) Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - systemic effects, inhalation 20 mg/m³ Acute - systemic effects, dermal 400 mg/kg bodyweight/day Acute - local effects, dermal 400 mg/cm² Acute - systemic effects, caral 85 mg/kg bodyweight/day Acute - local effects, oral 400 mg/cm² Acute - local effects, inhalation 20 mg/m³ Acute - local effects, inhalation 20 mg/m³ Long-term - systemic effects, oral 17 mg/kg bodyweight/day Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2.5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 28 mg/kg bodyweight/day Long-term - systemic effects, oral 28 mg/kg bodyweight/day Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Saua (memittent, freshwater) 0.10379 mg/l PNEC aqua (merine water) 0.10379 mg/l PNEC aqua (merine water) 0.104 mg/l PNEC sediment (freshwater) 13.7 mg/kg dwt PNEC sediment (menine water) 13.7 mg/kg dwt PNEC sediment (menine water) 13.7 mg/kg dwt PNEC sediment (menine water) 13.7 mg/kg dwt	Acute - local effects, dermal	2000 mg/cm ²	
Long-term - systemic effects, inhalation 4 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, cermal 400 mg/kg bodyweight/day Acute - systemic effects, inhalation 20 mg/m³ Acute - systemic effects, cermal 400 mg/kg bodyweight/day Acute - systemic effects, cermal 400 mg/m² Acute - local effects, dermal 400 mg/m² Acute - local effects, cermal 400 mg/m² Acute - local effects, inhalation 20 mg/m³ Acute - local effects, inhalation 20 mg/m³ Acute - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil)	Acute - local effects, inhalation	40 mg/m³	
Long-term - local effects, inhalation 4 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, demal 400 mg/kg bodyweight/day Acute - systemic effects, inhalation 20 mg/m³ Acute - local effects, oral 85 mg/kg bodyweight/day Acute - local effects, demal 400 mg/cm² Acute - local effects, oral 20 mg/m³ Long-term - systemic effects, oral 17 mg/kg bodyweight/day Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - local effects, inhalation 2 mg/m³ PNEC (Soil) PNEC Soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 87 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC aqua (fremitwent freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC (Sediment) PNEC Sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC Sediment (marine water) 13,7 mg/kg dwt	Long-term - systemic effects, dermal	170 mg/kg bodyweight/day	
DNEL/DMEL (General population) Acute - systemic effects, dermal Acute - systemic effects, inhalation Acute - local effects, oral Acute - local effects, inhalation Acute - local effects, inhalation Acute - local effects, inhalation Long-term - systemic effects, oral Acute - local effects, inhalation Long-term - systemic effects, oral Acute - local effects, inhalation Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC (Soil) PNEC Nec (Soil) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, dermal Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, oral Long-term - systemic effects, dermal DNEL/DMEL (General population) Long-ter	Long-term - systemic effects, inhalation	40 mg/m³	
Acute - systemic effects, dermal Acute - systemic effects, inhalation Acute - systemic effects, oral Acute - local effects, oral Acute - local effects, dermal Acute - local effects, dermal Acute - local effects, inhalation Long-term - systemic effects, oral Acute - local effects, inhalation Long-term - systemic effects, inhalation Long-term - local effects, inhalation PNEC (Soil) PNEC (Soil) PNEC (Soil) C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation R7 mg/m³ Long-term - systemic effects, inhalation R7 mg/m³ PNEC (Water) PNEC aqua ((reshwater)	Long-term - local effects, inhalation	4 mg/m³	
Acute - systemic effects, inhalation 20 mg/m³ Acute - systemic effects, cral 85 mg/kg bodyweight/day Acute - local effects, dermal 400 mg/cm² Acute - local effects, inhalation 20 mg/m³ Acute - local effects, inhalation 20 mg/m³ Long-term - systemic effects, cral 25 mg/kg bodyweight/day Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - local effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 37 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC (Water) PNEC qua (freshwater) 0,10379 mg/l PNEC qua (intermittent, freshwater) 0,10379 mg/l PNEC qua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	DNEL/DMEL (General population)		
Acute - systemic effects, oral Acute - local effects, dermal Acute - local effects, inhalation Long-term - systemic effects, inhalation Long-term - local effects, inhalation Long-term - local effects, inhalation Long-term - local effects, inhalation PNEC (Soil) PNEC (Soil) PNEC soil 2.5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (aqua (freshwater) PNEC aqua (freshwater) O.10379 mg/l PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) 13.7 mg/kg dwt PNEC sediment (freshwater) 13.7 mg/kg dwt PNEC (Soil)	Acute - systemic effects, dermal	400 mg/kg bodyweight/day	
Acute - local effects, dermal Acute - local effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, inhalation Long-term - local effects, inhalation Long-term - local effects, inhalation 2 mg/m² PNEC (Soil) PNEC soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 294 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Neg-term - systemic effects, inhalation Neg-term - systemic effects, inhalation Neg-term - systemic effects, oral Long-term - systemic effects, inhalation Neg-term - systemic effects, dermal Long-term - systemic effects, oral Long-term - sy	Acute - systemic effects, inhalation	20 mg/m³	
Acute - local effects, inhalation 20 mg/m³ Long-term - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, inhalation 20 mg/m³ Long-term - systemic effects, dermal 25 mg/kg bodyweight/day Long-term - local effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2.5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Acute - systemic effects, oral	85 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - local effects, inhalation 25 mg/kg bodyweight/day Long-term - local effects, inhalation PNEC (Soil) PNEC (Soil) DNEL/DMEL (Morkers) Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2.5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Acute - local effects, dermal	400 mg/cm ²	
Long-term - systemic effects, inhalation Long-term - local effects, inhalation PNEC (Soil) PNEC soil 2.5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEUDMEL (Workers) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation B7 mg/m³ Long-term - systemic effects, inhalation B7 mg/m³ Long-term - systemic effects, dermal Long-term - systemic effects, inhalation B7 mg/m³ Long-term - systemic effects, dermal DNEL/DMEL (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) Q10379 mg/l PNEC aqua (intermittent, freshwater) Q010379 mg/l PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC (Soil)	Acute - local effects, inhalation	20 mg/m³	
Long-term - systemic effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC sediment) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt	Long-term - systemic effects,oral	17 mg/kg bodyweight/day	
Long-term - local effects, inhalation 2 mg/m³ PNEC (Soil) PNEC soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt	Long-term - systemic effects, inhalation	20 mg/m³	
PNEC (Soil) PNEC Soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC (Sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, dermal	25 mg/kg bodyweight/day	
PNEC soil 2,5 mg/kg dwt C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation B7 mg/m³ Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 125 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Long-term - local effects, inhalation	2 mg/m³	
C9-11 PARETH-6 (68439-46-3) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,014 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC (Soil)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal 2080 mg/kg bodyweight/day Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,014 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC soil	2,5 mg/kg dwt	
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 294 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC qua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	C9-11 PARETH-6 (68439-46-3)		
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, inhalation 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	DNEL/DMEL (Workers)		
DNEL/DMEL (General population) Long-term - systemic effects, oral 25 mg/kg bodyweight/day Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC (Sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, dermal	2080 mg/kg bodyweight/day	
Long-term - systemic effects, oral Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, inhalation	294 mg/m³	
Long-term - systemic effects, inhalation 87 mg/m³ Long-term - systemic effects, dermal 1250 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects,oral	25 mg/kg bodyweight/day	
PNEC (Water) PNEC aqua (freshwater) 0,10379 mg/l PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC (Sediment) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, inhalation	87 mg/m³	
PNEC aqua (freshwater) PNEC aqua (marine water) O,10379 mg/l PNEC aqua (intermittent, freshwater) O,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, dermal	1250 mg/kg bodyweight/day	
PNEC aqua (marine water) 0,10379 mg/l PNEC aqua (intermittent, freshwater) 0,014 mg/l PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC (Water)		
PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC aqua (freshwater)	0,10379 mg/l	
PNEC (Sediment) PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC aqua (marine water)	0,10379 mg/l	
PNEC sediment (freshwater) 13,7 mg/kg dwt PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC aqua (intermittent, freshwater)	0,014 mg/l	
PNEC sediment (marine water) 13,7 mg/kg dwt PNEC (Soil)	PNEC (Sediment)		
PNEC (Soil)	PNEC sediment (freshwater)	13,7 mg/kg dwt	
	PNEC sediment (marine water)	13,7 mg/kg dwt	
PNEC soil 1 mg/kg dwt	PNEC (Soil)		
	PNEC soil	1 mg/kg dwt	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

C9-11 PARETH-6 (68439-46-3)	C9-11 PARETH-6 (68439-46-3)			
PNEC (STP)				
PNEC sewage treatment plant	1,4 mg/l			
2-Butoxyethanol (111-76-2)	,,g.			
DNEL/DMEL (Workers)				
Acute - systemic effects, dermal	~ 125 malka hoduwajaht/day			
	≈ 125 mg/kg bodyweight/day			
Acute - systemic effects, inhalation	≈ 1091 mg/m³			
Acute - local effects, inhalation	≈ 246 mg/m³			
Long-term - systemic effects, dermal	≈ 125 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	≈ 98 mg/m³			
DNEL/DMEL (General population)				
Acute - systemic effects, dermal	≈ 89 mg/kg bodyweight			
Acute - systemic effects, inhalation	≈ 426			
Acute - systemic effects, oral	≈ 26,7 mg/kg bodyweight			
Acute - local effects, inhalation	≈ 147 mg/m³			
Long-term - systemic effects,oral	≈ 6,3 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	≈ 59 mg/m³			
Long-term - systemic effects, dermal	≈ 75 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	8,8 mg/l			
PNEC aqua (marine water)	0,88 mg/l			
PNEC aqua (intermittent, freshwater)	9,1 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	34,6 mg/kg dwt			
PNEC sediment (marine water)	3,46 mg/kg dwt			
PNEC (Soil)				
PNEC soil	2,33 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	463 mg/l			
Tetrapotassiumpyrophosphate (7320-34-5)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, inhalation	44,08 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects, inhalation	10,87 mg/m³			
PNEC (Water)				
PNEC aqua (freshwater)	0,05 mg/l			
PNEC aqua (marine water)	0,005 mg/l			
PNEC aqua (intermittent, freshwater)	0,5 mg/l			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tetrapotassiumpyrophosphate (7320-34-5)		
PNEC (STP)		
PNEC sewage treatment plant	50 mg/l	
Potassium hydroxide (1310-58-3)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation 1 mg/m³		
DNEL/DMEL (General population)		
Long-term - local effects, inhalation 1 mg/m³		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Carefully comply with the instructions for use. Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Yellow. Appearance Clear. perfumed. Odour Odour threshold : Not available Melting point Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Explosive limits : Not available Lower explosion limit : Not available : Not available Upper explosion limit : > 100 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available

pH : 13

Viscosity, kinematic : < 19,324 mm²/s Viscosity, dynamic : < 20 mPa.s Solubility : completely soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : 1,035 g/ml Relative density : Not available : Not available Relative vapour density at 20 °C

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Reproductive toxicity

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on	hazard classes as	defined in Regulation	(EC) No 1272/2008
----------------------	-------------------	-----------------------	-------------------

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified
C9-11 PARETH-6 (68439-46-3)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1,6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
2-Butoxyethanol (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l
Tetrapotassiumpyrophosphate (7320-34-	5)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1,1 mg/l air Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals, Nov, 1984; 81-3 Acute Inhalation Study
Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
Citral (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	pH: 13 : Causes serious eye irritation. pH: 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Citral (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453

12-7-2022 (Printing date) EN (English) 10/17

: Not classified

type: toxicity (migrated information)

(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

STOT-repeated exposure :	Not classified
C9-11 PARETH-6 (68439-46-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
2-Butoxyethanol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Tetrapotassiumpyrophosphate (7320-34-5)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Aspiration hazard :	Not classified
Boensop	

11.2. Information on other hazards

No additional information available

2-Butoxyethanol (111-76-2)

SECTION 12: Ecological information

12.1. Toxicity

Viscosity, kinematic

Viscosity, kinematic

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

< 19,324 mm²/s

3,7 mm²/s

: Not classified

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)		
C9-11 PARETH-6 (68439-46-3)		
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	2,5 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	1,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
2-Butoxyethanol (111-76-2)		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Butoxyethanol (111-76-2)		
EC50 72h - Algae [1]	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'	
Tetrapotassiumpyrophosphate (7320-34-5)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Potassium hydroxide (1310-58-3)		
LC50 - Fish [1]	80 mg/l	
Citral (5392-40-5)		
LC50 - Fish [1]	6,78 mg/l Test organisms (species): Leuciscus idus	
EC50 - Crustacea [1]	6,8 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	103,8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

12.2. Persistence and degradability

Boensop	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log Pow) 0,81		
Tetrapotassiumpyrophosphate (7320-34-5)		
Partition coefficient n-octanol/water (Log Pow) -10,45		
Potassium hydroxide (1310-58-3)		
Partition coefficient n-octanol/water (Log Pow) 0,75		
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2,8	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Disposal must be done according to official regulations.

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.Dispose in a safe manner in accordance with local/national regulations. Empty containers

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Empty container can be dumped after cleaning according to local legislation. If recycling is not possible,

eliminate in accordance with local valid waste disposal regulations.

Ecology - waste materials

: Avoid release to the environment.

European List of Waste (LoW) code

: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	on available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Detergent Regulation (648/2004)

Allergenic fragrances > 0,01%:

Limonene

Labelling of contents		
Component %		
anionic surfactants, non-ionic surfactants, phosphates <5%		
perfumes		
LIMONENE		

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
1.1	Product code	Modified	
1.1	Name	Added	
1.2	Use of the substance/mixture	Removed	
1.2	Main use category	Modified	
4.1	First-aid measures after ingestion	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
6.1	Protective equipment	Added	
6.3	Methods for cleaning up	Added	
7.2	Storage area	Modified	
9.1	Melting point	Added	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC-No.	European Community number	
EN	European Standard	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disrupting properties	

Data sources

Other information

- : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- : None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH210	Safety data sheet available on request.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EU	Il text of H- and EUH-statements:		
H332	Harmful if inhaled.		
Met. Corr. 1	Corrosive to metals, Category 1		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B Skin corrosion/irritation, Category 2		
Skin Irrit. 2			
Skin Sens. 1B	Skin sensitisation, category 1B		

	Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
	Skin Irrit. 2	H315	Concentration limits
	Eye Irrit. 2	H319	Concentration limits

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.