

1.1 Product identifer:

Signal word

Hazard statements

**Precautionary statements** 

None

None

None

Magic Poetspasta

# SAFETY DATA SHEET of: Magic Polijst Pasta

Revision date: Thursday, June 9, 2022

S109.008

# SECTION 1: Identification of the substance/mixture and of the company/undertaking:

UFI: /
1.2 Relevant identifed uses of the substance or mixture and uses advised against:
Concentration in use: /
1.3 Details of the supplier of the safety data sheet:
Jefo Ship Supply
Roomweg 6B
8334 NR, Tuk, Nederland
T. +31 (0)6 22 12 78 34 info@jefoshipsupply.nl www.jefoshipsupply.nl
1.4 Emergency telephone number:
+32 70 245 245
SECTION 2: Hazards identification:
2.1 Classification of the substance or mixture:
Classifcation of the substance or mixture in accordance with regulation (EU) 1272/2008
2.2 Label elements:
Pictograms

#### Contains

None

# 2.3 Other hazards:

This is a harmless preparation. Normally no risks are to be expected, minor discomfort may occur.

# SECTION 3: Composition/information on ingredients:

Sodium Laureth Sulfate	≤ 3 %	CAS number:	68891-38-3
		EINECS:	500-234-8
		REACH Registration number:	01-2119488639-16
		CLP Classifcation:	H315 Skin Irrit. 2 H318 Eye Dam. 1 H412 Aquatic Chronic 3
		Additional data:	H318 >10 % ; H319 5- 10 %
Potassium oleate	≤ 3 %	CAS number:	143-18-0
		EINECS:	205-590-5
		REACH Registration number:	1
		CLP Classification:	H315 Skin Irrit. 2 H319 Eye Irrit. 2

For the full text of the H phrases mentioned in this section, see section 16.

# SECTION 4: First aid measures:

#### 4.1 Description of frst aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

**Skin contact:** Rinse with water.

**Eye contact:** Rinse frst with plenty of water, if necessary seek medical attention. **Ingestion:** Rinse frst with plenty of water, if necessary seek medical attention.

In case of serious or continuous discomforts: remove to fresh air and seek

medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed:

Skin contact:

Eye contact:

Redness

**Ingestion:** Diarrhoea, headache, abdominal cramps, sleepiness, vomiting

Inhalation: None

# 4.3 Indication of any immediate medical attention and special treatment needed:

None

# SECTION 5: Fire-fghting measures:

#### 5.1 Extinguishing media:

CO2, foam, powder, sprayed water

#### 5.2 Special hazards arising from the substance or mixture:

None

#### 5.3 Advice for frefghters:

Extinguishing agents to be avoided: None

# SECTION 6: Accidental release measures:

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind. Remove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

#### **6.2** Environmental precautions:

Do not allow to fow into sewers or open water.

# 6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible, remove by using absorbent material.

#### 6.4 Reference to other sections:

For further information, check sections 8 & 13.

# SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

Handle with care to avoid spillage.

# 7.2 Conditions for safe storage, including any incompatibilities:

Keep in a sealed container in a closed, frost-free, ventilated room.

#### 7.3 Specifc end use(s):

1

# SECTION 8: Exposure controls/personal protection:

#### 8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the workplace exposure limit values are known /

# 8.2 Exposure controls:

Inhalation	Respiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If	
protection:	necessary, use with sufcient exhaust ventilation.	

Handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Keep an eye-rinse bottle within reach. Tight-ftting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Wear impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	
Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.	
For further information, check sections 6 and 13.	
The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not exceeded. For further information, check section 7.	
	Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specifc work station. Wash and dry your hands.  Keep an eye-rinse bottle within reach. Tight-ftting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.  Wear impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.  Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions. For further information, check sections 6 and 13.  The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not

# SECTION 9: Physical and chemical properties:

# 9.1 Information on basic physical and chemical properties:

Appearance/20°C:LiquidColour:colourlessOdour:characteristic

Melting point/melting range: 0 °C

Boiling point/Boiling range:  $100 \,^{\circ}\text{C} - 245 \,^{\circ}\text{C}$ Flammability (solid, gas): Not applicable

Lower fammability or explosive limit, (Vol /

%):

Upper fammability or explosive limit, (Vol /

%):

Flash point: /
Auto-ignition temperature: /
Decomposition temperature: /
pH: 10.1

pH 1% diluted in water: /
Kinematic viscosity, 40°C: /

Solubility in water: Not soluble

Partition coefcient: n-octanol/water: Not applicable

Vapour pressure/20°C;: 2,332 Pa

Relative density, 20°C:

Vapour density: Not applicable

Particle characteristics: /

#### 9.2 Other information:

**Dynamic viscosity, 20°C:** 100,000 mPa.s

Sustained combustion test: /

Evaporation rate (n-BuAc = 1): 0.300

Volatile organic component (VOC): /
Volatile organic component (VOC): /

# SECTION 10: Stability and reactivity:

#### 10.1 Reactivity:

Stable under normal conditions.

# 10.2 Chemical stability:

Extremely high or low temperatures.

#### 10.3 Possibility of hazardous reactions:

None

#### 10.4 Conditions to avoid:

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

#### 10.5 Incompatible materials:

None

# 10.6 Hazardous decomposition products:

Under recommended usage conditions, hazardous decomposition products are not expected.

# **SECTION 11: Toxicological information:**

# 11.1 Information on toxicological effects:

# a) acute toxicity:

Not classifed according to the CLP calculation method

Calculated acute toxicity, ATE oral: > 2,000 mg/kg
Calculated acute toxicity, ATE dermal: > 2,000 mg/kg

Sodium Laureth Sulfate	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
Potassium oleate	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l

# b) skin corrosion/irritation:

Not classifed according to the CLP calculation method

# c) serious eye damage/irritation:

Not classifed according to the CLP calculation method

# d) respiratory or skin sensitisation:

Not classifed according to the CLP calculation method

# e) germ cell mutagenicity:

Not classifed according to the CLP calculation method

# f) carcinogenicity:

Not classifed according to the CLP calculation method

# g) reproductive toxicity:

Not classifed according to the CLP calculation method

# h) STOT-single exposure:

Not classifed according to the CLP calculation method

#### i) STOT-repeated exposure:

Not classifed according to the CLP calculation method

# i) aspiration hazard:

Not classifed according to the CLP calculation method

#### 11.2 Information on other hazards:

No additional data available

# SECTION 12: Ecological information:

#### 12.1 Toxicity:

Sodium Laureth Sulfate	LC50 (Fish):	7,1 mg/L (96h)
	EC50 (Daphnia):	7,2 mg/L
	EC50 (Algae):	27 mg/L
	NOEC (Algae):	0,93 mg/L
	EC50 (soil microorganisms):	7,5 mg/L

# 12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

# 12.3 Bioaccumulative potential:

No additional data available

# 12.4 Mobility in soil:

Water hazard class, WGK (AwSV):

Solubility in water: Not soluble

### 12.5 Results of PBT and vPvB assessment:

No additional data available

# 12.6 Endocrine disrupting properties:

No additional data available

# 12.7 Other adverse effects:

No additional data available

# SECTION 13: Disposal considerations:

#### 13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

# **SECTION 14: Transport information:**

#### 14.1 UN number:

Not applicable

#### 14.2 UN proper shipping name:

ADR, IMDG, ICAO/IATA not applicable

# 14.3 Transport hazard class(es):

Class(es): Not applicable ldentification number of the hazard: Not applicable

# 14.4 Packing group:

Not applicable

#### 14.5 Environmental hazards:

Not dangerous to the environment

#### 14.6 Special precautions for user:

Hazard characteristics: Not applicable
Additional guidance: Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

# **SECTION 15: Regulatory information:**

# 15.1 Safety, health and environmental regulations/legislation specifc for the substance or mixture:

Water hazard class, WGK (AwSV): 1
Volatile organic component (VOC): /
Volatile organic component (VOC): /

Composition by regulation (EC) 648/2004: Anionic surfactants < 5%, Soap < 5%, Perfumes (Geraniol, Citronellol),

Preservatives (Phenoxyethanol, Ethylhexyl Glycerin)

#### 15.2 Chemical Safety Assessment:

No data available

# **SECTION 16: Other information:**

#### Legend to abbreviations used in the safety data sheet:

ADR: The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE: Acute Toxicity Estimate
BCF: Bioconcentration factor
CAS: Chemical Abstracts Service

**CLP:** Classification, Labelling and Packaging of chemicals

EINECS: European INventory of Existing commercial Chemical Substances

**LC50:** median Lethal Concentration for 50% of subjects

**LD50**: median Lethal Dose for 50% of subjects

Nr.: Number

PTB: Persistent, Toxic, Bioaccumulative
STOT: Specifc Target Organ Toxicity
UFI: Unique Formula Identifer

vPvB: very Persistent and very Bioaccumulative substances

WGK: Water hazard class

WGK 1: Slightly hazardous for water

WGK 2: Hazardous for water

WGK 3: Extremely hazardous for water

#### Legend to the H Phrases used in the safety data sheet

H315 Skin Irrit. 2: Causes skin irritation. H318 Eye Dam. 1: Causes serious eye damage. H319 Eye Irrit. 2: Causes serious eye irritation. H412 Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

#### **CLP Calculation method**

Calculation method

# Reason of revision, changes of following items

Section: 3

#### **SDS** reference number

ECM-2577,60

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2020/878. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.