

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Registration number (REACH)

Superreiniger Extra
not relevant (mixture)

Product code(s) 12184

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial uses

professional uses

Uses advised against Do not use for squirting or spraying in its concen-

trated form. Do not use for products which come into direct contact with the skin. Do not use for

private purposes (household).

1.3 Details of the supplier of the safety data sheet

JeFo Ship Supply De Dissel 12 8332 JH Steenwijk Netherlands

Tel: +31(0)6 83 70 12 19

E-mail: info@JeFoshipsupply.nl Web: www.JeFoshipsupply.nl

1.4 Emergency telephone number

Emergency information service for emergency responders

This number is only for medical emergencies.

Poison centre		
Country	Name	Telephone
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC)	+31 (0)88 755 8000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Netherlands: en Page: 1 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to hazardous or special waste collection point.

- Hazardous ingredients for labelling

tetrasodium ethylenediaminetetraacetate, Alcohols, C12-14, ethoxylated, Sodium hydroxide, Isotridecanol, ethoxylated

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8 EC No 200-573-9 Index No 607-428-00-2 REACH Reg. No 01-2119486762- 27-xxxx	5-<10	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	<u>!</u>	GHS-HC

Netherlands: en Page: 2 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Alcohols, C12-14, eth- oxylated	CAS No 68439-50-9	1-<5	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
Sodium p-cumenes- ulphonate	CAS No 15763-76-5	1-<5	Eye Irrit. 2 / H319	<u>(!)</u>	
	EC No 239-854-6			•	
	REACH Reg. No 01-2119489411- 37-xxxx				
Sodium hydroxide	CAS No 1310-73-2	1-<5	Met. Corr. 1 / H290 Skin Corr. 1A / H314		GHS-HC
	EC No 215-185-5		Eye Dam. 1 / H318	•	
	Index No 011-002-00-6				
	REACH Reg. No 01-2119457892- 27-XXXX				
Isotridecanol, eth- oxylated	CAS No 69011-36-5	<1	Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
	EC No 931-138-8			•	
Nitrilotriacetic acid	CAS No 139-13-9	<1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351	<u>(1)</u>	
	EC No 205-355-7		Carc. 2711331	•	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
tetrasodium ethylenediam- inetetraacetate	-	-	>1.780 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/mist
Alcohols, C12-14, eth- oxylated	-	-	500 ^{mg} / _{kg}	oral
Sodium hydroxide	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %	-	-	
Isotridecanol, ethoxylated	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-	-	
Nitrilotriacetic acid	-	-	500 ^{mg} / _{kg}	oral

For full text of H-phrases: see SECTION 16.

Netherlands: en Page: 3 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

Netherlands: en Page: 4 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product. This will result in an uncontrolled acid base reaction. When dilution is required, always add the product cautiously to water following all relevant safety measures to ensure a safe and controlled acid base reaction.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

Netherlands: en Page: 5 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Protect against external exposure, such as

frost

- Packaging compatibilities Keep only in original container.

7.3 Specific end use(s)

Industrial uses. Professional uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	1,5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	3 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	1,5 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	DNEL	3 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Alcohols, C12-14, ethoxylated	68439-50-9	DNEL	294 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Alcohols, C12-14, ethoxylated	68439-50-9	DNEL	2.080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium p-cumenes- ulphonate	15763-76-5	DNEL	26,9 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Sodium p-cumenes- ulphonate	15763-76-5	DNEL	136,3 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium hydroxide	1310-73-2	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	2,83 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)

Netherlands: en Page: 6 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	0,283 ^{mg} / _i	aquatic organ- isms	marine water	short-term (single instance)
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	50 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium ethyle- nediaminetet- raacetate	64-02-8	PNEC	1,1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	0,074 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	0,007 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	10 ⁹ / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	66,67 ^{mg} /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	6,66 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Alcohols, C12-14, ethoxylated	68439-50-9	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0,23 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0,023 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0,862 ^{mg} /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0,086 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Sodium p-cumenes- ulphonate	15763-76-5	PNEC	0,037 ^{mg} /	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Wear face protection.

Netherlands: en Page: 7 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness
- > 0.35 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not determined
pH (value)	13,5 (in aqueous solution: 100 ^{mg} / _{cm³} , 20 °C) (base)

Netherlands: en Page: 8 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	2,339 kPa at 20 °C (calculated value, referring to a com-
	ponent of the mixture)

Density and/or relative density

Density	1,055 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

j , ,	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	

VOC content	1,531 %
-------------	---------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Acids, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Netherlands: en Page: 9 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Tetrasodium ethylenediaminetetraacetate	64-02-8	oral	>1.780 ^{mg} / _{kg}
Tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1,5 ^{mg} / ₁ /4h
Alcohols, C12-14, ethoxylated	68439-50-9	oral	500 ^{mg} / _{kg}
Nitrilotriacetic acid	139-13-9	oral	500 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Tetrasodium ethylenediaminetet- raacetate	64-02-8	oral	LD50	>1.780 - <2.00 0 ^{mg} / _{kg}	rat
Alcohols, C12-14, ethoxylated	68439-50-9	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Sodium p-cumenesulphonate	15763-76-5	oral	LD50	>7.000 ^{mg} / _{kg}	rat
Sodium p-cumenesulphonate	15763-76-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Netherlands: en Page: 10 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetrasodium ethylene- diaminetetraacetate	64-02-8	LC50	>100 ^{mg} / _l	fish	96 h
Tetrasodium ethylene- diaminetetraacetate	64-02-8	EC50	>114 ^{mg} / _l	aquatic invertebrates	48 h
Tetrasodium ethylene- diaminetetraacetate	64-02-8	ErC50	>60 ^{mg} / _l	algae	72 h
Alcohols, C12-14, eth- oxylated	68439-50-9	LC50	1,2 ^{mg} / _l	fish	96 h
Alcohols, C12-14, eth- oxylated	68439-50-9	EC50	0,53 ^{mg} / _l	aquatic invertebrates	48 h
Sodium p-cumenes- ulphonate	15763-76-5	LC50	>1.000 ^{mg} / _l	fish	96 h
Sodium p-cumenes- ulphonate	15763-76-5	EC50	>1.000 ^{mg} /	aquatic invertebrates	48 h
Sodium hydroxide	1310-73-2	LC50	<180 ^{mg} / _l	fish	96 h
Sodium hydroxide	1310-73-2	EC50	40,4 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value Species		Exposure time
Tetrasodium ethylene- diaminetetraacetate	64-02-8	EC50	625 ^{mg} / _l	aquatic invertebrates	24 h
Alcohols, C12-14, eth- oxylated	68439-50-9	EC50	>10 ^g / _l	microorganisms	16,9 h
Sodium hydroxide	1310-73-2	EC50	22 ^{mg} / _l	microorganisms	15 min

Netherlands: en Page: 11 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

12.2 Persistence and degradability

Degradability of components of the mixture

	'						
Name of substance	CAS No	EC No	Process	Degrada- tion rate	Time	Method	Source
Tetrasodi- um ethylene- diaminetet- raacetate	64-02-8	200-573-9	oxygen de- pletion	78 %	56 d		ECHA
Alcohols, C12-14, eth- oxylated	68439-50-9		oxygen de- pletion	95 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Tetrasodium ethylenediaminetet- raacetate	64-02-8	1,8	-13,17 (25 °C)	
Alcohols, C12-14, ethoxylated	68439-50-9	12,7		
Sodium p-cumenesulphonate	15763-76-5		-1,1 (23 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Netherlands: en Page: 12 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

SECTION 14: Transport information

14.1 UN number or ID number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Superreiniger Extra	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Sodium hydroxide	substances in tattoo inks and permanent make-up		R75	75
Alcohols, C12-14, ethoxylated	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Alcohols, C12-14, ethoxylated	substances in tattoo inks and permanent make-up		R75	75
tetrasodium ethylenediaminetet- raacetate	substances in tattoo inks and permanent make-up		R75	75
Sodium p-cumenesulphonate	substances in tattoo inks and permanent make-up		R75	75

Netherlands: en Page: 13 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Isotridecanol, ethoxylated	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Isotridecanol, ethoxylated	substances in tattoo inks and permanent make-up		R75	75
Nitrilotriacetic acid	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Nitrilotriacetic acid	substances in tattoo inks and permanent make-up		R75	75

Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both,

- can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1
- December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

Netherlands: en Page: 14 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Legend

- 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A
- or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 (ii) 0,01 % by weight, in all other cases;

- (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

- (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
- (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration
- equal to or greater than the concentration limit specified for that substance in that Appendix.

 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
- 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
- 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023: (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

- 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
- 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
- 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";

- (b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
- (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit
- (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
- (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattoo-

Netherlands: en Page: 15 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Legend

ing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Deco-Paint Directive

VOC content	1,531 %
-------------	---------

Industrial Emissions Directive (IED)

VOC content	1,531 %
-------------	---------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Sodium hydroxide		a)	
tetrasodium ethylenediaminetetraacetate		a)	
Nitrilotriacetic acid		a)	

Legend

Indicative list of the main pollutants

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
EDTA and salts thereof	5 % or over but less than 15 %
amphoteric surfactants non-ionic surfactants	less than 5 %

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

Netherlands: en Page: 16 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

National regulations (Netherlands)

Algemene Beoordelingsmethodiek, ABM (general assessment methodology, GAM)

Water hazard and decontamination effort

Water haz- ard	Water hazard designation	Decontamina- tion effort
B (4)	low hazard for aquatic organisms	В

SZW-lijst CMR effects

none of the ingredients are listed

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value) Sa	fety- relev- ant
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: tetrasodium ethylenediaminetetraacetate, Sodi- um hydroxide, Isotridecanol, ethoxylated (>=2.5 EO)	- Hazardous ingredients for labelling: tetrasodium ethylenediaminetetraacetate, Alco- hols, C12-14, ethoxylated, Sodium hydroxide, Isotridecanol, ethoxylated	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Auto-ignition temperature: 250 °C	Auto-ignition temperature: not determined	yes
9.1		Decomposition temperature: not determined	yes

Netherlands: en Page: 17 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Replaces version of: 03.01.2023 (GHS 11)

Revision: 20.07.2023

Section	Former entry (text/value)	Actual entry (text/value) Sa	relev- ant
9.2	VOC content: 5,645 %	VOC content: 1,531 %	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1		Acute toxicity of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	VOC content: 1,397 %	VOC content: 1,531 %	yes
15.1	VOC content: 5,645 %	VOC content: 1,531 %	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Netherlands: en Page: 18 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water

Netherlands: en Page: 19 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Abbr.	Descriptions of used abbreviations
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Netherlands: en Page: 20 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Superreiniger Extra

Version number: GHS 12.0 Revision: 20.07.2023 Replaces version of: 03.01.2023 (GHS 11)

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Netherlands: en Page: 21 / 21